

# 江苏省建设工程质量检测管理 年度报告（2016）

	.....	1
1.1	.....	1
1.2	.....	2
1.3	.....	3
1.4	.....	4
<b>2016</b>	.....	<b>5</b>
2.1	.....	5
2.2	.....	8
2.3	.....	10
2.4	.....	13
2.5	.....	16
2.6	.....	17
2.7	.....	19
<b>2016</b>	.....	<b>23</b>
3.1	.....	23
3.2	.....	32
3.3	.....	49
	.....	<b>50</b>
4.1	.....	50
4.2	.....	53
4.3	.....	54

## 1.1

	2016			357		
	184		71	102		
67		31	20	17	57	
36		14	20	26	23	11
	23		12			

1-1


247

92

27

65

18




1-1

## 1.2

2012      2016

1-2



1-2

1-2

2013

2014

2012

40%

10%

2015

2016

2012

19%

3%

### 1.3

2012

2016

2012

3

13

2013

13

7

2014

10

3

2015

13

7

2016

14

3


1-3

2012

2016

2016

102



1-3 5

## 1.4


“ ”

# 2016


## 2.1

	2016		357	
		184	51%	
71	20%		102	29%
		205	57%	
152	43%			104419
		931932		498800
	54%	433132	46%	2-1
2-1	2-2	2-3		






2-1



2-2



2-3

## 2.2

2016

67676

17343

10264


40069

2-2

2-4


表 2-2:

1		2594	1284	4422		
2		1198	706	2401		
3		780	600	1993		
4		958	428	3085		
5		2904	2044	7706		
6		1923	1201	4845		
7		760	381	1372		
8		1217	592	2869		
9		1508	776	2983		
10		1071	654	2356		
11		544	365	1423		
12		1173	741	2863		
13		713	492	1751		
		17343	10264	40069		



2-4


### 2.3




2-3

2-5


### 全省检测机构人员数



### 各设区市从业人员职称占比



### 从业人员年龄分布情况



2-5

											50	30 50	30	
1	1524	693	259	647	3123	414	720	949	391	1733	999			
2	580	191	83	186	1040	105	225	349	129	629	282			
3	564	166	79	134	943	128	232	311	80	546	317			
4	405	158	162	146	871	78	177	261	78	493	300			
5	1291	364	431	555	2641	332	643	737	262	1532	847			
6	754	139	110	197	1200	129	344	398	151	678	371			
7	285	94	48	97	524	84	139	128	70	341	113			
8	460	56	74	105	695	79	160	229	80	465	150			
9	384	97	240	124	845	111	225	272	92	554	199			
10	447	125	47	114	733	89	204	239	89	466	178			
11	371	60	58	83	572	75	155	150	64	328	180			
12	473	67	118	126	784	79	193	232	71	445	268			
13	237	37	105	89	468	25	81	186	23	264	181			
	7775	2247	1814	2603	14439	1728	3498	4441	1580	8474	4385			

**2.4**

2016

35


2016

2-4

2-6

2-4

	74	64	17	24
	8	10	25	26
	8	6	4	3
	40	8	15	1
	36	63	22	34
	32	12	0	2
	3	5	0	0
	2	14	1	4
	17	12	3	1
	4	2	4	2
	0	0	0	0
	13	28	12	8
	2	15	3	1
	239	239	106	106



2-6

2.5

2015      2016

2-5      2-7

2016

80858


411149

20%

2-5

2012	329823.7	290535.3	4.6
2013	396525.7	343769.6	5.1
2014	428096.3	367079.8	5.3
2015	412041.7	363531.2	5.4
2016	411149.4	365622.8	5.6

全省检测机构收入增幅情况



2-6

		2012-2016			
		/			
1		125	98	305	345
2		11	2	49	68
3		3	15	102	87
4		8	43	83	15
5		62	61	133	155
6		11	6	86	91
7		5	1	9	36
8		7	5	102	99
9		1	3	87	72
10		6	1	30	37
11		7	50	148	61
12		5	6	122	165
13		5	2	18	71
		256	293	1274	1302




2-7

**2015-2016**

1		AAA
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		

2-8

	2012		2013		2014		2015		2016	
1	16	12	14	6	11	7	9	11	10	8
2	4	1	1	0	0	0	0	0	0	0
3	7	5	3	3	1	4	3	5	3	0
4	7	8	2	4	0	2	0	6	1	6
5	17	1	5	0	8	2	10	6	7	2
6	5	6	0	7	3	6	1	13	2	9
7	6	3	0	0	1	0	0	0	0	0



2-9

# 2016

2016

## 3.1

2015 518

### 3.1.1

2016

#### 1

2016 4 18 29

2016

,

141

2006 97

42

3-1

174

1

4

2

2

3-1

**2016**

		( )	( )	( )
2016	1	4	2	2

2  
2016

“2016

”

10

3-2

27

27

2

1

3-2

**2016**

		( )	( )	( )
2016	2	1	0	0

3

2016

5

60


6

5

2016

0.5% 79

3-1



3-1 2016

0.5%

### 3.1.2

DGJ32/TJ 201-2016

PH

[2016]1

41%

2015

2016

[2016]5

“

”

22 333 5  
( 1.5 ) 5 ( 1.5 ) 32  
( 9.6 ) 15  
4.5 3-3



2

8

1

3

11

5

**3.2**

3-4

**2016**

1		270	268	2	270	2016 6	2016 4
2		174	170	4	174	2016 10	2016 6
	TVOC	173	170	3	173		
3		168	165	3	168	2016 12	2016 7
		785	773	12	785		


2016

70%

11%~20%

17%





6


		/TVOC					
		136/115	17/24	21/34	112	28	28
		78.16% /66.48%	9.77% /13.87%	12.07% /19.65%	66.66 %	16.67%	16.67%






内容		南京	无锡	徐州	常州	苏州	南通	连云港	淮安	盐城	扬州	镇江	泰州	宿迁
参加机构数		22	15	9	11	26	22	7	11	13	11	5	15	7
结果可疑	数量	2	5	1	2	0	1	2	1	0	2	0	1	0
	百分率	9%	33%	11%	18%	0%	5%	29%	9%	0%	18%	0%	7%	0%
结果不满意	数量	2	1	1	2	3	0	2	3	2	2	0	2	1
	百分率	9%	7%	11%	18%	12%	0%	29%	27%	15%	18%	0%	13%	14%






3-2




3-3 2016

### 2016年度静载荷试验能力验证情况




3-4 2016

### 2016年度室内环境——甲醛检测能力验证情况



### 2016年度室内环境——TVOC检测能力验证情况



3-5 2016

### 3.2.2

				2016	
				2016	159
				26	
	12			2	4
3		3			
502			445	57	
406			46	50	3-10

3-10

**2016**

1			25	25	0	23	0	2	25	2016 326	2016 392
2			44	43	1	33	3	8	44	2016 393	2016 480
3			21	20	1	9	6	6	21	2016 10	2016 31
4			16	15	1	13	0	3	16		2016 50
5			9	9	0	8	0	1	9	2016 24	2016 5
6			19	19	0	16	2	1	19	2016 88	

7			13	13	0	11	2	0	13	2016 7	2016 8
8			14	14	0	10	4	0	14	2016 11	2016 20
9			38	36	2	30	2	6	38	2016 95	2016 42

18			23	23	0	14	3	6	23	[2016]38	[2016]46
19			17	17	0	17	0	0	17	[2016]48	[2017]4
20			13	13	0	10	2	1	13	[2016]19	[2016]43
21			61	11	50	53	5	3	61	[2016]12	2016 17
22			5	5	0	4	1	0	5	2016 2	2016 6
23			18	18	0	10	3	5	18	2016 16	2016 20
24			14	14	0	9	1	4	14		
25			11	11	0	10	1	0	33	2016 67	2016 134
26			11	11	0	10	1	0	33		
			502	445	57	406	46	50	546		

**3.2.3 2016**

**2**

2016

29

13

2017

2016




### 3.3

“ ”

2014 10

2014 111

2014 111

DGJ32/J 184-2016

“ ”

DGJ32/J 184-2016

80

30

**4.1**

**4.1.1**

30

357

**4.1.2**

2012-2014

2015-2016

2016

365622.8

### 4.1.3

2016

104419

931932 m<sup>2</sup>

### 4.1.4

### 4.1.5

1

2016

357

14439

2

15

5

4.1.6

1

CNAS

2

144

682

## 4.2

### 4.2.1

( )

### 4.2.2

### 4.2.3

40%

**4.2.4****4.2.5**

2014			109440	
118591	m <sup>2</sup>	2015	84860	
	88307	m <sup>2</sup>	2014	22%
26%	2016		79783	
81943	m <sup>2</sup>	2014	27%	31%

**4.3****4.3.1**

141

[2006]97

DGJ32/J21-2009

2015 518

**4.3.2**

**4.3.3**

**4.3.4**